

## **DETAILED ACTION**

### ***Drawings***

The drawings are objected to because the usage of the different layers is not adequately illustrated. Because applicant has specified that different layers have different users (i.e., vehicles, pedestrian, parking), these uses with respect to the different layers must be clearly illustrated. See Figures 2 and 4 of Pearson (U.S. Patent 3,405,612) for examples of illustrations of separate uses. Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

***Claim Objections***

Claims 41 and 48 are objected to because of the following informalities: “manway” is not a standard term in the art and should be changed to, for example, walkway, path, pathway, etc. Appropriate correction is required.

***Claim Rejections - 35 USC § 112***

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claims 41-55 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

The claims are generally narrative and indefinite, failing to conform with current U.S. practice. The claims are directed to a structure. The excessive recitations regarding intended use and general narration render the claims indefinite because the scope of the actual structure is unclear.

***Allowable Subject Matter***

Claims 41-55 would be allowable if rewritten or amended to overcome the claim objections and rejections under 35 U.S.C. 112, 2nd paragraph, set forth in this Office action.

***Conclusion***

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Gary Hartmann whose telephone number is (571)272-6989. The examiner can normally be reached on Tuesday through Friday, 9am-5pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Thomas Will can be reached on 571-272-6998. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Gary Hartmann/  
Primary Examiner, Art Unit 3671